

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

PLAN FOR COMBINATION KITCHEN AND UPLAND BIRD GARDEN.
(60 ft. by 60 ft.).

Buckwheat Field.

SWEET CORN

Raspberries

Dewberries and Blackberries

Plantings are spaced about 4 ft. apart. Will produce unbelievable results in attracting quail, ruffed grouse, ringneck pheasants, many song birds - probably some that you never saw before. Will also provide asparagus, sweet corn and berries for your table over a long season. Use the varieties mentioned in our enclosed pricelist which are found by actual test to be extremely attractive to these birds and actually eaten by them in quantities. Where possible cultivate the rows for two seasons. This will make the shrubs, trees and vines grow twice as fast. Smaller and cheaper shrubs and vines may be used if cultivated. Where not possible to cultivate, use the larger sized shrubs and trees which will be able to compete with grass and weeds. Sweet corn and sunflower in outside rows should be planted each year and cultivated. If Tartary Buckwheat is planted in fields adjoining it will reseed itself for one or more years following the first crop. It will help to insure a good crop if you merely drag the buckwheat field the second year. This style of planting may be used around edges of clearings, and fence rows as well as in separate plots.

Clyde B. Terrell,
Terrell's Nurseries, Oshkosh, Wis.

PLAN FOR COMBINATION KITCHEN AND UPLAND BIRD GARDEN.
(GO ff. DA CO ff.)

Bruckwedge Library

SWEET CORN

Raspeddy-Tea

1988 600 20170000

Plumage is the basic sport if it's best. Will produce many
results in trapping deer, furred game, birds, mammals, even
song birds - traps for some just don't ever seem to work.
Adequate subsistence, sweet corn and berries for a long
time. Use the available mulches from the previous
season. The found in our mulches will be effective to these birds and
the following year in hunting. More possessive than
solitarily estival visitors. This will make the shrubs and trees for two
years for two seasons. This will make the shrubs and trees for
the birds and berries may be used twice as fast. Smaller and deeper shrubs and vines may be used
outvisaged. More not possessive of cultivars, use the larger sized
shrubs and vines with larger leaves and berries.
Sweet corn and sunflower in autumn are good for
and outvisaged. If Triticale Bromwheat is planted in fall the first crop
it will release itself for one or more harvests following the first crop.
It will yield to name a good crop if you wait a few days after
tilling the second year. This style of tilling may be used strongly
against old cereals, and fence rows as well as in pasture plots.
Chase B. Terrell,
Terrell, Minnesota, October, 1916.